





Dimensions : Millimetres [Inches]  
Estimated weight: 1,11 kg (2,44 lbs)

|                                                                                                                                                                                                                                                                                                                                                           |             |           |                              |                 |                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|------------------------------|-----------------|------------------------------|
| TITLE:<br>300-112G2+115G2 / 301-112+115<br>3nm 360° White +3nm 360° Green<br>On a 400-034 Promount base, Cable Side                                                                                                                                                                                                                                       |             |           |                              |                 |                              |
| DRAWING No.:<br>300-112G2+115G2 / 301-112+115                                                                                                                                                                                                                                                                                                             |             |           |                              | Sheet No.:<br>1 | DRAWN BY:<br>LSA             |
| SCALE:<br>1 : 2                                                                                                                                                                                                                                                                                                                                           | SIZE:<br>A3 | REV. NO.: | TOLERANCES:<br>DS/ISO 2768-f | REVIEWED BY:    | CREATION DATE:<br>17-08-2023 |
| MATERIAL DESCRIPTION:<br>Alu. EN6082, Acrylic                                                                                                                                                                                                                                                                                                             |             |           |                              |                 |                              |
| (25µ) Silver anodized according to EN ISO 7599<br>(50µ) Black anodized according to MIL-A 8625F                                                                                                                                                                                                                                                           |             |           |                              |                 |                              |
| This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk. |             |           |                              |                 |                              |

**LOPOLIGHT**

Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
www.lopolight.com

Tel:(+45) 32 48 50 30  
info@lopolight.com



Dimensions : Millimetres [Inches]  
Estimated weight: 1,11 kg (2,44 lbs)


|                                                                                                                     |             |           |                              |                 |                              |
|---------------------------------------------------------------------------------------------------------------------|-------------|-----------|------------------------------|-----------------|------------------------------|
| TITLE:<br>300-112G2+115G2 / 301-112+115<br>3nm 360° White +3nm 360° Green<br>On a 400-034 Promount base, Cable Down |             |           |                              |                 |                              |
| DRAWING No.:<br>300-112G2+115G2 / 301-112+115                                                                       |             |           |                              | Sheet No.:<br>2 | DRAWN BY:<br>LSA             |
| SCALE:<br>1 : 2                                                                                                     | SIZE:<br>A3 | REV. NO.: | TOLERANCES:<br>DS/ISO 2768-f | REVIEWED BY:    | CREATION DATE:<br>17-08-2023 |
| MATERIAL DESCRIPTION:<br>Alu. EN6082, Acrylic                                                                       |             |           |                              |                 |                              |
| (25µ) Silver anodized according to EN ISO 7599<br>(50µ) Black anodized according to MIL-A 8625F                     |             |           |                              |                 |                              |





This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.

LOPOLIGHT

Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
www.lopolight.com

Tel:(+45) 32 48 50 30  
info@lopolight.com





TITLE:  
**300-112G2+115G2 / 301-112+115**  
 3nm 360° White +3nm 360° Green  
 On a 400-034 Promount base and 400-404 PE base plate, Cable Down

|                                                      |                    |                                     |                                     |
|------------------------------------------------------|--------------------|-------------------------------------|-------------------------------------|
| DRAWING No.:<br><b>300-112G2+115G2 / 301-112+115</b> |                    | Sheet No.:<br><b>4</b>              | DRAWN BY:<br><b>LSA</b>             |
| SCALE:<br><b>1 : 2</b>                               | SIZE:<br><b>A3</b> | REV. NO.:                           | TOLERANCES:<br><b>DS/ISO 2768-f</b> |
| REVIEWED BY:                                         |                    | CREATION DATE:<br><b>17-08-2023</b> |                                     |

MATERIAL DESCRIPTION:  
**Alu. EN6082, Acrylic, PE**

(25p) Silver anodized according to EN ISO 7599  
 (50p) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



LOPOLIGHT

Lopolight ApS  
Bakkegaardsvej 513  
DK-3050, Humlebaek  
Denmark  
[www.lopolight.com](http://www.lopolight.com)

Tel:(+45) 32 48 50 30  
info@lopolight.com

