











TITLE: 400-410-B Gull Spike kit (Mounting position)					
DRAWING No.: 400-410-B				Sheet No.: 3	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.:	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: PHH	CREATION DATE: 22-08-2024
MATERIAL DESCRIPTION: Aluminum, Stainless steel (50µ) Black anodized according to MIL-A 8625F					
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.					

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com



TITLE:
400-410-B
Gull Spike kit
(Mounting position)

DRAWING No.: 400-410-B Sheet No.: 4 DRAWN BY: LSA

SCALE: 1 : 2 SIZE: A3 REV. NO.: TOLERANCES: DS/ISO 2768-f REVIEWED BY: PHH CREATION DATE: 22-08-2024

MATERIAL DESCRIPTION:
Aluminum, Stainless steel (50µ) Black anodized according to MIL-A 8625F

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel: (+45) 32 48 50 30
info@lopolight.com