






Dimensions : Millimetres [Inches]
Estimated weight: 5,47 kg (12,06 lbs)

PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	600-917	QUINT-PS/ 1VAC/24VDC/10
2	1	901-023	Top Plate for NLC
3	1	901-020	Bottom plate assembly NLC
4	1	600-928	Automatsikring 6A
5	1	600-918	QUINT -PS/24VDC/24VDC/10
6	1	600-927	Automatsikring 20A




TITLE:
500-303-1AC+1DC
Full size NLC - 1 AC and 1 DC power supply

DRAWING No.: 500-303-1AC+1DC				Sheet No.: 1	DRAWN BY: LSA
SCALE: 1 : 2	SIZE: A3	REV. NO.: 0	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: PHH	CREATION DATE: 29-03-2023
MATERIAL DESCRIPTION: (25µ) Silver anodized according to EN ISO 7599 (25µ) Black anodized according to EN ISO 7599					

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.

LOPOLIGHT
Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com
Tel:(+45) 32 48 50 30
info@lopolight.com




Dimensions : Millimetres [Inches]
Estimated weight: 15,62 kg (34,44 lbs)

TITLE: 500-303-1AC+1DC Full size NLC - 1 AC and 1 DC power supply (Shown with NLC Cabinet 400x400x200mm, Mimic and Core NLC)					
DRAWING No.: 500-303-1AC+1DC				Sheet No.: 2	DRAWN BY: LSA
SCALE: 1 : 5	SIZE: A3	REV. NO.: 0	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: PHH	CREATION DATE: 29-03-2023
MATERIAL DESCRIPTION: (25µ) Silver anodized according to EN ISO 7599 (25µ) Black anodized according to EN ISO 7599					
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.					

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com



PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	600-917	QUINT-PS/ 1VAC/24VDC/10
2	1	901-023	Top Plate for NLC
3	1	600-918	QUINT -PS/24VDC/24VDC/10
4	1	600-927	Automatsikring 20A
5	1	600-928	Automatsikring 6A
6	1	901-020	Bottom plate assembly NLC
7	0	500-126	NLC Cabinet 400x400x200mm
8	0	500-100 XX/CORE NLC	NLC core
9	0		Mimic

Estimated weight: 15,62 kg (34,44 lbs)

TITLE: 500-303-1AC+1DC Full size NLC - 1 AC and 1 DC power supply (Shown with NLC Cabinet 400x400x200mm, Mimic and Core NLC)					
DRAWING No.: 500-303-1AC+1DC			Sheet No.: 3	DRAWN BY: LSA	
SCALE: 1 : 5	SIZE: A3	REV. NO.: 0	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: PHH	CREATION DATE: 29-03-2023
MATERIAL DESCRIPTION: (25µ) Silver anodized according to EN ISO 7599 (25µ) Black anodized according to EN ISO 7599					
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.					

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com