










PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	901-023	Top Plate for NLC
2	1	901-020	Bottom plate assembly NLC
3	1	600-928	Automatsikring 6A
4	1	601-468	Plate, NSYMM44, for Wall closure
5	1	600-948	Power supply QUINT-PS1AC24DC20
6	1	601-905	Power supply QUINT-PS 24VDC24VDC20
7	1	600-927	Automatsikring 20A
8	0	500-126	NLC Cabinet 400x400x200mm
9	0	500-100 XX/CORE NLC	CORE NLC
10	0		Mimic

Dimensions : Millimetres [Inches]
Estimated weight: 24,7 kg (54,4 lbs)

TITLE: 500-306-1AC+1DC-ICE Full size NLC Iceclass dbl power supply 20A-AC/DC (Shown with NLC Cabinet 400x400x200mm, Mimic and Core NLC)					
DRAWING No.: 500-306-1AC+1DC-ICE			Sheet No.: 3	DRAWN BY: LSA	
SCALE: 1 : 20	SIZE: A3	REV. NO.: 0	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: PHH	CREATION DATE: 13-04-2023
MATERIAL DESCRIPTION: (25µ) Silver anodized according to EN ISO 7599 (25µ) Black anodized according to EN ISO 7599					
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.					

LOPOLIGHT

Lopolight ApS
Bakkegaardsvej 513
DK-3050, Humlebaek
Denmark
www.lopolight.com

Tel:(+45) 32 48 50 30
info@lopolight.com